


inkbenefit
plus



A4 wireless all-in-one colour inkjet printer

MFC-T910DW



PRINT



COPY



SCAN



FAX



WIRELESS

www.brother.eu

A4 wireless all-in-one colour inkjet printer

The MFC-T910DW is the perfect solution for the home or small office with print, copy, scan and fax requirements. As well as the fundamentals, the compact MFC-T910DW offers cost-saving opportunities via the ink tank refill system. Furthermore, with automatic double sided printing, the MFC-T910DW helps you save paper.

MFC-T910DW



Key Features:

- Print speeds of up to 12 images per minute
- Simple to use ink tank refill system
- 2x black, 1x cyan, 1x magenta and 1x yellow ink bottles included
- Wired LAN & wireless connectivity
- Mobile printing
- Automatic 2 sided printing
- 150 sheet, front loading, enclosed paper tray
- 20 sheet automatic document feeder (ADF)
- Additional 80 sheet multi-purpose tray
- 4.5cm colour LCD

A range of connectivity options

As well as bringing affordable print, copy, scan and fax functionality to your home or small office, the MFC-T910DW offers a range of connectivity options. Built with convenience in mind, printing via a mobile device is quick and easy, and thanks to wireless printing, you don't even have to be in the same room.

The cost-effective ink tank refill system

Carrying yields of up to 6500* pages, Brother's quick and easy ink tank refill system helps you to achieve high print volumes, while delivering low costs per page. With the MFC-T910DW you will receive the full 4-colour line-up of ink bottles (including a second black bottle), in the box to get you up and printing as soon as possible.


inkbenefit
plus

*Quoted approximate yield is based on Brother original methodology, using industry standard test charts to calculate page yields

General

Engine

Inkjet

Memory

128MB

Control Panel

4.5cm Colour LCD with cursor controls

Local Interface

Hi-Speed USB 2.0

Wired Network

Ethernet 10/100BASE-TX

Wireless Network

IEEE 802.11b/g/n

Mobile Print

Print from your mobile devices to your Brother printer

Print

Print Speed (A4)⁸

12ipm mono & 10ipm colour (based on ISO/IEC 24734)

FPOT (First Print out Time)⁹

13 seconds Mono, 14 seconds Colour

Warm up Time

0 seconds

Quiet Mode

A mode to reduce the printing noise by reducing the print speed

Resolution

Up to 6,000 x 1,200dpi

Automatic 2 sided Print

Yes

Printer Functions

N-up Printing³

Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16)

Poster Printing⁴

Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages

Watermark Printing⁴

Watermark your documents with predefined text or with your own user-defined messages

ID Printing⁴

Add identification to your printed documents (date & time, short custom message or PC username)

Manual 2-Sided Print⁴

Manual 2-sided printing (recommended for media not supported by automatic 2-sided print)

Booklet Printing⁴

Print documents in A5 booklet format using manual 2-sided print

Print Profiles³

Store your favourite driver settings as profiles to easily recall them

Print from USB

Print directly from a USB flash drive (JPEG)

Printer Driver

Windows[®]

Windows[®] 10
Windows[®] 8
Windows[®] 7
Windows[®] Server
2016, 2012 2012R2,
2008, & 2008R2

Macintosh⁵

macOS 10.8.x or greater

¹ Quoted approximate yield is based on Brother original methodology, using industry standard test charts to calculate page yields

² Calculated with 80g/m² paper

³ Windows[®] & Mac[®] only

⁴ Windows[®] only

⁵ Optional free download from the Brother Solutions Centre <http://solutions.brother.com>

⁶ Must be web connected

⁷ Vertical x horizontal

⁸ Requires Brother software

⁹ Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements

¹⁰ ESAT (based on ISO/IEC 24735). This spec is for ADF models only

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Paper Handling

Paper Input²

Standard Tray - 150 Sheets
Multi Purpose Tray - 80 sheets
Feeder (ADF) - 20 Sheets

Paper Output²

50 sheets Face Up

Media Type & Weight Standard & Rear Multi

Purpose Trays

Plain, Inkjet, Glossy (cast/resin)
paper 64-220g/m² (260g/m²
with Brother BP71 glossy paper
only)

Media Sizes Standard Tray

A4, LTR, EXE, A5, A6,
Photo(102x152mm),
Indexcard(127x203mm),
Photo-L(9x13cm),
Photo-2L(127x178mm),
C5 Envelope, Com-10, DL
Envelope, Monarch

Media size Rear Multi

Purpose Tray

A4, LTR, EXE, A5, A6,
Photo(102x152mm), Index-
card(127x203mm),
Photo-2L(127x178mm), C5 En-
velope, Com-10, DL Envelope,
Monarch
Photo (102x152mm),
Photo-L (89x127mm)

Media Type & Weights ADF

Plain Paper 80g/m²

Media Sizes ADF

148x148mm to
215.9x355.6mm

Mobile and Web Connectivity

Brother iPrint&Scan Mobile App

Print from, scan to, send faxes,
preview received faxes, preview
copies and check the machine
status from Android, iOS &
Windows® Phone devices

Brother iPrint&Scan Light

(Windows® 8, 10 & RT)
Print from and scan to a
Windows® 8, 10 or Windows
RT Tablet

Google Cloud Print 2.0

Print most common file types
from any Google Cloud Print
enabled application

Apple AirPrint

Print from and scan to most
common file types from any
AirPrint enabled application

Web Connect⁷

Scan to Dropbox, Google Drive
Evernote, Box, One Note and
One Drive

Brother Print Service Plugin

Print from Android devices
without a dedicated App

Mopria

Print most common file types
from Mopria supported Android
devices

Copy

Copy Speed (A4)¹⁰

6ipm Mono & Colour

Resolution

1,200 x 1,200dpi Mono
1,200 x 600dpi Colour

Multi-Copying/Stack/Sort

Makes up to 99 copies of each
page / Stacks or Sorts

Enlargement/Reduction Ratio

Reduce or Increase document
sizes from 25% to 400% in 1%
increments

N in 1 Copying

Allows the user to compress
2 or 4 pages on to a single
A4 sheet

Grey Scale

256 shades of grey (8 bit)

Enlarge Text Copy⁷

Makes reading copied
documents easier if the size of
the text on the original
document is small

¹ Quoted approximate yield is based on Brother original methodology, using industry standard test charts to calculate page yields

² Calculated with 80g/m² paper

³ Windows® & Mac® only

⁴ Windows® only

⁵ Optional free download from the Brother Solutions Centre <http://solutions.brother.com>

⁶ Must be web connected

⁷ Vertical x horizontal

⁸ Requires Brother software

⁹ Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements

¹⁰ ESAT (based on ISO/IEC 24735). This spec is for ADF models only

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Scan	Scanner Type CIS (Contact Image Sensor)	Interpolated Scan Resolution⁷ Up to 19,200 x 19,200dpi	Colour Depth 30 bit color Processing (Input) 24 bit color Processing (Output)
	Colour & Mono Scanning Yes	Scan Resolution Up to 1,200 x 2,400dpi	Grey Scale 10bit color Processing (Input) 8bit color Processing (Output)
	Scan Speed 3.35 seconds Mono, A4 @100dpi 4.38 seconds Colour A4 @100dpi		

Scanner Functions	Scan to E-mail Scan directly into your e-mail application	Scan to File Scan to a file on your computer	Scan to SharePoint^{4&7} Scan documents directly into SharePoint
	Scan to OCR Scan documents directly into your word processing application for instant editing	Scan to USB Scan directly to a USB flash drive	Base Colour Removal Yes ⁷
	Scan to Image Scan into your preferred image editing software	Scan To Microsoft Office⁷ Scan directly to Microsoft Office file types via Brother Apps	ID Scan⁷ Yes 1 to 2 Scan⁷ Yes

Scanner Drivers	Windows[®] TWAIN & WIA Windows [®] Windows [®] 10, Windows [®] 8 Windows [®] 7	Macintosh⁵ TWAIN macOS 10.8.x or greater
------------------------	---	--

Fax	Fax Modem 14,400bps (G3)	Out of Paper Reception Up to 170 pages ITU-T Test Chart #1/MMR)	Auto Reduction When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet
	PC Fax Send^{3&7} and Receive^{4&7} Send and Receive faxes directly from your PC	Distinctive Ring Detection (UK & Denmark only) An external service that allows two or more telephone numbers shared on a single fixed line and use different ring tones	Broadcasting Send the same fax message up to 50 locations
	Memory Transmission Up to 170 pages ITU-T Test Chart #1/MMR)		

1 Quoted approximate yield is based on Brother original methodology, using industry standard test charts to calculate page yields

2 Calculated with 80g/m² paper

3 Windows[®] & Mac[®] only

4 Windows[®] only

5 Optional free download from the Brother Solutions Centre <http://solutions.brother.com>

6 Must be web connected

7 Vertical x horizontal

8 Requires Brother software

9 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements

10 ESAT (based on ISO/IEC 24735). This spec is for ADF models only

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Fleet Management Tools

Unattended Installer⁴

Ability to centrally deploy and customise our drivers and software

MSI Installer⁴

Modular installers that can be distributed through Active Directory®

BRAdmin Light^{4&5}

LAN/WAN management software

Driver Deployment Wizard^{4 &5}

Easily create print drivers for hassle free deployment over your network

Software

Brother iPrint&Scan (Windows & Mac)⁵

Print from, scan to, preview copies and check the machine status from windows or macOS PC

Brother Control Centre 4 for Windows

Quick and easy access to many functions such as Scan, Photo Print and PC-FAX directly from your computer

Security and Network

Wired Network

Ethernet 10/100BASE-TX Auto Negotiation

Wireless Network

IEEE 802.11b/g/n
(Infrastructure Mode)
IEEE 802.11g/n (Wi-Fi Direct)

Wireless Network Security

WEP 64/128bit,
WPA-PSK(TKIP/AES),
WPA2-PSK(TKIP/AES)

Wi-Fi Direct™

Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)

Wireless Setup Support

Wi-Fi Protected Setup (WPS)

IPv4

ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, SNMPv1/v2c, TFTP server, ICMP, Web Services (Print/Scan), SNTP Client

IPv6

(Turned off as default)
NDP, RA, mDNS,LLMNR Responder, DNS Resolver, LPR/LPD,Custom Raw Port/Port9100, SNMPv1/v2c, TFTP server, Web Services (Print/Scan), SNTP Client, ICMPv6

Supplies and Accessories

Inbox Ink Bottles

2 x BTD60BK
1 x BT5000C
1 x BT5000Y
1 x BT5000M

Ink Bottle Yield¹

BTD60BK 6500pages
BT500C/Y/M 5000 pages

¹ Quoted approximate yield is based on Brother original methodology, using industry standard test charts to calculate page yields

² Calculated with 80g/m² paper

³ Windows® & Mac® only

⁴ Windows® only

⁵ Optional free download from the Brother Solutions Centre <http://solutions.brother.com>

⁶ Must be web connected

⁷ Vertical x horizontal

⁸ Requires Brother software

⁹ Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements

¹⁰ ESAT (based on ISO/IEC 24735). This spec is for ADF models only

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Dimensions and Weights

Without Carton (WxDxH)
435 x 439 x 195mm - 9.9Kg

With Carton (WxDxH)
594 x 514 x 290mm - 13.1Kg

Duty Cycle

Recommended Monthly
50 to 1,000 pages per month

Maximum Monthly⁹
Up to 2,500 pages per month

Environment

Power Consumption
Operating - 16W
Ready Mode - 3.5W
Sleep Mode - 1.2W
Off - 0.2W

Sound Pressure
Printing - 50dB(A)

Ink Save Mode
This reduces the ink usage and helps to reduce the total cost of printer ownership

Energy Star
Yes



¹ Quoted approximate yield is based on Brother original methodology, using industry standard test charts to calculate page yields

² Calculated with 80g/m² paper

³ Windows® & Mac® only

⁴ Windows® only

⁵ Optional free download from the Brother Solutions Centre <http://solutions.brother.com>

⁶ Must be web connected

⁷ Vertical x horizontal

⁸ Requires Brother software

⁹ Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements

¹⁰ ESAT (based on ISO/IEC 24735). This spec is for ADF models only

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

brother
at your side